


ARQIS110

CABINET LOUDSPEAKERS

Architectural Loudspeaker Cabinet



PRODUCT OVERVIEW

ECLER ARQIS 110 is a wooden loudspeaker cabinet with a compact format, stylish aesthetics, excellent sound quality and long term reliability, featuring 170 WRMS @ 8 ohm, 10" woofer and 1" HF Compression Driver. 35 mm mount socket and 8 x M10 rigging points, allowing for horizontal or vertical mounting options (90°x50° dispersion pattern). It has been specifically designed to fulfil permanent installation requirements where a perfect balance between sound performance and architectural/interior's design matching is a must.

KEY FEATURES


- Full range, 2-way architectural loudspeaker
- 170 WRMS @ 8 ohm
- 1 x 10" low frequency woofer
- 1" high frequency compression driver
- Double INPUT/STACK connector, Euroblock + Speakon® type, with security attachment screws to avoid accidental disconnection
- 35 mm mount socket, compatible with SR10 / SR12 wall brackets (not included)
- 8 x M10 cabinet flying points.
- Metal safety sling included, to avoid drops in case of accidental detachment from the wall surface
- Available in black finish

APPLICATIONS


- Shopping malls
- Sports centres
- Theatres / auditoriums
- Conference rooms
- A/V presentations
- Corporate rooms
- Perimeter reinforcement in clubs
- Cafés
- Restaurants
- Theme parks

POLAR DIAGRAMS


HORIZONTAL



VERTICAL



FREQUENCY RESPONSE



TECHNICAL DATA

Ways	2
Nominal low impedance	8Ω
Max RMS power	170 WRMS
Program power	340 WRMS
Efficiency SPL 1W 1m	95dB
Sound pressure (Max W/1m)	117dB
Frequency response (±3dB)	60Hz-18kHz
Frequency range (-10dB)	50Hz-19kHz
Cross-over frequency	3.5kHz
Dispersion (HxV)	90°x50°
Driver LF/MF	10"
Driver HF	1" Compression driver
Connection	1 Euroblock + 1 Speakon®
Dimensions (WxDxH)	359x495x310mm
Weight	14.4kg/pcs