

Modele z Serii

WWW.EURO-TREND.PL

Nazwa	Wielkość	Wejścia	Wyjścia	Opis
VS-44AV 4x4 Video & Audio Switcher	19 cali	4	1x4	Mechanical, 4 crosspoints video/audio switcher, 220MHz.
VS-402xl Video/Audio Matrix Switcher	19 cali	4	2	Expandable, looping vertical interval 4x2 matrix switcher for video and balanced stereo audio, with front panel, RS-232 and RS-485 controls, genlock input, 300MHz
VS-6EII 4x4 Video & Audio Matrix Switcher	Desktop	4	4	Video and stereo audio matrix switcher, 100MHz.
VS-5x5 5x5 Video Audio Matrix Switcher	19 cali	5	5	5x5 video audio matrix switcher for composite video signals and balanced stereo audio signals controlled by front panel buttons, infra-red remote control and via RS-485 or RS-232 serial commands. 70MHz.
VS-602xl Video/Audio Matrix Switchers	19 cali	6	2	Expandable, looping vertical interval 4x2 matrix switcher for video and balanced stereo audio, with front panel, RS-232 and RS-485 controls, genlock input, 300MHz
VS-606xl Przełącznik matrycowy na	19 cali	6	6	Przełącznik matrycowy na sygnałach wideo i audio, sterowany z panela przedniego, RS-485 lub RS-232, wejście synchronizacji, pasmo 200MHz
VS-626 6x6 Video / Audio Matrix Switcher	19 cali	6	6	Video and stereo audio vertical interval matrix switcher with front panel, RS-485 and RS-232 controls, genlock input, 100MHz

VS-646	19 cali	6	6	Video and balanced stereo audio vertical interval matrix switcher with front panel, RS-485 and RS-232 controls, genlock input, 200MHz.
6x6 Balanced A/V				
VS-802xl	19 cali	8	2	Expandable, looping vertical interval 8x2 matrix switcher for video and balanced stereo audio, with front panel, RS-232 and RS-485 controls, genlock input, 300MHz
Video/Audio Matrix Switcher				
VS-804xl	19 cali	8	4	Video and stereo audio vertical interval matrix switcher with front panel, RS-485 and RS-232 controls, genlock input, 200MHz.
8x4 A/V Matrix Switcher				
VS-808xl	19 cali	8	8	Video and stereo audio vertical interval matrix switcher with front panel, RS-485 and RS-232 controls, genlock input, 200MHz.
8x8 A/V Matrix Switcher				
VS-828	19 cali	8	8	Video and stereo audio vertical interval matrix switcher with front panel, RS-485 and RS-232 controls, genlock input, 100MHz
8x8 Video / Audio Matrix Switcher				
VS-848	19 cali	8	8	Video and balanced stereo audio vertical interval matrix switcher with front panel, RS-485 and RS-232 controls, genlock input, 200MHz.
8x8 Balanced A/V Matrix Switcher				
VS-1002xl	19 cali	10	2	Video and stereo audio vertical interval matrix switcher with front panel, RS-485 and RS-232 controls, 200MHz
Video / Balanced Audio Stereo Matrix Switchers				
VS-1202xl	19 cali	12	2	Video and stereo audio vertical interval matrix switcher with front panel, RS-485 and RS-232 controls, 200MHz.
Video / Balanced Audio Stereo Matrix Switchers				
VS-1602xl	19 cali	16	2	Video and stereo audio vertical interval matrix switcher with front panel, RS-485 and RS-232 controls, 200MHz.
Video / Balanced Audio Stereo Matrix Switchers				
VS-1604	19 cali	16	4	Video and balanced stereo audio vertical interval matrix switcher with front panel, RS-485 and RS-232 controls, 200MHz.
16x4 Video Balanced-Audio Matrix Switchers				
VS-162AVRCA	19 cali	CV, Unbalanced stereo audio	CV, Unbalanced stereo audio	Video and unbalanced stereo audio vertical interval matrix switcher with front panel, RS-485 and RS-232 controls, genlock input. 90MHz.
16x16 Composite Video & Stereo Audio Matrix Switcher				
VS-162AV	19 cali	16	16	Video and balanced stereo audio vertical interval matrix switcher with front panel, RS-485 and RS-232 controls, genlock input; 100MHz

Video and balanced stereo audio vertical interval matrix switcher with front panel, RS-485 and RS-232 controls, genlock input; 100MHz

16x16 Audio Video Matrix Switcher				
LASSEN XL 3216VS composite video and s		32	16	
LASSEN XL 3232VS composite video and s		32	32	
LASSEN XL 1608V composite video with s		16	8	
LASSEN XL 1616VS composite video with s		16	16	
LASSEN XL 1204VS composite video with s		12	4	
LASSEN XL 1208VS composite video with s		12	8	