




VP-222

VGA Switcher/Distributor



The **VP-222** is a high performance switcher for computer graphics video signals with resolutions ranging from VGA through UXGA and higher. It switches one of two inputs to two identical outputs.





VP-222

FEATURES

- High Bandwidth - 365MHz (- 3dB).
- HDTV Compatible.
- Compact Size - Part of the Kramer TOOLS family of compact, high quality and cost effective solutions.

TECHNICAL SPECIFICATIONS

DIFF. GAIN:	<0.06%.
DIFF. PHASE:	<0.04 Deg.
CROSSTALK:	-52 dB @ 5 MHz.
K-FACTOR:	<0.05%
VIDEO S/N RATIO:	>76 dB
POWER SOURCE:	12 VDC, 120mA.
DIMENSIONS:	12cm x 7.5cm x 2.5cm (4.7" x 2.95" x 0.98", W, D, H.)
WEIGHT:	0.25 kg. (0.55 lbs.) Approx.
ACCESSORIES:	Power supply, mounting bracket
OPTIONS:	Model VA-50P power supply with six 12VDC outlets. RK-T1, RK-T3, 19" rack adapters
INPUTS:	2 Analog Red, Green, Blue signals -0.7 Vpp/75Ω, H & V sync, TTL level, on HD15F connectors.
OUTPUTS:	2 Analog Red, Green, Blue signals -0.7 Vpp/Ω, H & V syncs- TTL level, on HD15F connectors.
VIDEO BANDWIDTH:	Exceeding 365 MHz.
NON-LINEARITY:	0.1%