

VP-400N


High Resolution XGA DA







The VP-200N, VP-300N, and VP-400N are high performance distribution amplifiers for computer graphics video signals with resolutions ranging from VGA through UXGA and higher. It takes one input, provides correct buffering isolation, and distributes the signal to two, three, or four identical outputs.





VP-400N

FEATURES

- High Bandwidth 400MHz (- 3dB).
- HDTV Compatible.
- ID Bit Control.
- Advanced Sync Processing ensures compatibility with a wide range of computers.
- Selectable Sync Input Impedance 75Ω (video), 510Ω (Graphics/TTL).
- 3ft 15-pin HD Cable Included.
- Compact Size Part of the Kramer TOOLS family of compact, high quality and cost effective solutions.

TECHNICAL SPECIFICATIONS

INPUT: 1 analog red, green, blue

signals - 0.7 Vpp/75 Ω , H & V sync, TTL level, on an HD15F

connector

OUTPUTS: 4 analog red, green, blue

signals - 0.7 Vpp/75 Ω , H & V sync, TTL level, on HD15F

connectors

1.8 Vpp

MAX. OUTPUT

LEVEL:

BANDWIDTH (- >400 MHz

3dB):

DIFF. GAIN: 0.03%
DIFF. PHASE: 0.07 Deg.
K-FACTOR: <0.05%
S/N RATIO: 72dB

CONTROLS: Pair of switches for Hs

(Horizontal Sync) and Vs (Vertical Sync) on the

underside; ID Bit switch on the

underside

COUPLING: DC

POWER 12 VDC, 95.5mA

SOURCE:

DIMENSIONS: 12cm x 7.5cm x 2.5cm (4.7" x

2.95" x 0.98"), W, D, H

WEIGHT: 0.3 kg. (0.67 lbs.) approx.

ACCESSORIES: Power supply, mounting bracket OPTIONS: 19" rack adapters RK-T1, RK-T3