




VP-61N

6x1 VGA/XGA Switcher



The VP-61xl is a high performance switcher for computer graphics video signals, with resolutions ranging from VGA through UXGA and higher, and balanced stereo audio signals. The VP-61N has all the same features of the VP-61xl but without audio.





VP-61N

FEATURES

- High Bandwidth - 400MHz (- 3dB).
- HDTV Compatible.
- Control - Front panel & RS-232 (K-Router™ Windows® - based software is included).
- Standard 19" Rack Mount Size - 1U.

TECHNICAL SPECIFICATIONS

INPUTS:	6 Analog Red, Green, Blue signals - 0.7 Vpp/75 Ω, H & V syncs, TTL level on HD15F connectors.
OUTPUT:	One Analog Red, Green, Blue signal - 0.7 Vpp/75Ω, H & V syncs, TTL level on a HD15F connector.
BANDWIDTH:	400 MHz -3dB. (video) 100kHz - 3dB (audio)
SWITCH TIME:	Less than 5ms.
SWITCH CONTROL:	Six electronic illuminated touch switches with electronic interlock. RS-232 via an additional DB-9 connector on rear panel.
COUPLING:	Direct.
DIMENSIONS:	19 inch (W), 7 inch (D) 1U (H) rack mountable.
POWER SOURCE:	230 VAC, 50/60 Hz, (115VAC, U.S.A.) 3 VA.
WEIGHT:	2.7 kg. (6 lbs.) approx.
ACCESSORIES:	Power cord, Windows™ control software.