

DMA 162

TWO CHANNELS MATRIX AMPLIFIER

DESCRIPTION

DMA 162 is a two channels Class-D matrix amplifier equipped with a powerful DSP platform, allowing managing inputs and outputs in terms of routing and equalization. A complete set of processing functions is available, including presets for RCF speakers, proprietary bass enhancer algorithm, FIR filters, and environmental equalization. Thanks to its extremely compact size, accurate design, and robustness, it is ideal for a wide range of business music applications.



FEATURES

- 2 x 160 W Class-D power amplifier
- 20 ÷ 20000 Hz frequency range
- Full on-board processing
- RCF speakers' presets
- Proprietary bass enhancer algorithm
- FiRPHASE linear phase filters
- Flexible and scalable multi-room architecture
- Suitable for desktop or rack installation
- RDNet ready for networked management
- Remote controls and paging console accessories

Rev. K Last update: 03/11/2020



TECHNICAL SPECIFICATIONS

Amplifier specifications	Amplifier Class:	D
	Number of channels:	2
	Power output per channel (@ 4 ohm):	160 W RMS
	Power output (bridged @ 4 ohm):	320 W RMS
	Power output (hi-Z):	320 W RMS
	Frequency Response (-3dB):	20 Hz ÷ 20000 Hz
		>93 dB
	Signal/noise rate ("A" weighted)	<0.01 %
	Distortion (THD+N) @ 1 kHz nominal power:	<0.01 %
nput section	Total number of inputs:	4
	Balanced:	2
	Unbalanced:	2
	Mono:	2
	Stereo:	2
	VOX:	Yes
	Line inputs:	2
	Line connectors:	JACK, RCA
	Mic+Line inputs:	1
	Mic+Line connectors:	Euroblock
	VOX:	Yes
	Paging inputs:	1
	Paging connectors:	RJ45
	Paging command:	Contact
	General Purpose Inputs (GPI):	1
Output section	Signal output number:	1
	Signal output connectors:	RCA
	Power output connectors:	Euroblock
Processing	DSP:	Yes
	EQ Filters:	Yes
	FIR:	Yes
	Compressors:	Yes
	Tone controls:	Yes
	High-pass filter:	80 ÷ 200 Hz
Controls	Configuration:	Front panel, PC Software
Protections	Cooling:	Forced
	Short circuit:	Yes
	Thermal:	Yes
	DC:	Yes
	Fuses:	Yes
	VHF (Very High Frequencies):	Yes

DATASHEET

R	43
W	


Power requirement	Operating voltage:	90-240 V~ 50/60Hz	
	Power consumption:	400 W	
Standard compliance	CE marking:	Yes	
	Energy Star:	Yes	
Physical specifications	Cabinet/Case Material:	Metal	
	Color:	Black	
	Rack mounting:	1/2 19", 1U , Optional rack mounting accessory required	
Size	Height:	44 mm / 1.73 inches	
	Width:	213 mm / 8.39 inches	
	Depth:	314 mm / 12.36 inches	
	Weight:	1.7 kg / 3.75 lbs	
Shipping informations	Package Height:	106 mm / 4.17 inches	
	Package Width:	360 mm / 14.17 inches	
	Package Depth:	381 mm / 15 inches	
	Package Weight:	2.7 kg / 5.95 lbs	


PART NUMBER

•	12100044 .	12100041 .	12100027
	DMA 162 UK	DMA 162 US	DMA 162 EU
	UK	US	EU
	EAN 8024530018443	EAN 8024530018412	EAN 8024530017156



DRAWINGS







ACCESSORIES

⊚	ACCESSORY RC 401 EU B	PART NUMBER EAN:	12399051 8024530017217
⊗	ACCESSORY RC 401 EU W	PART NUMBER EAN:	12399052 8024530017224
	ACCESSORY RC 401 US B	PART NUMBER EAN:	12399053 8024530017231
# - e	ACCESSORY RC 401 US W	PART NUMBER EAN:	12399054 8024530017248
	ACCESSORY RDNET BOARD DMA	PART NUMBER EAN:	12399048 8024530017750
	MIC CONSOLE BM 404	PART NUMBER EAN:	14322031
	RACK ACCESSORY AR 1050	PART NUMBER EAN:	17360039 8024530016180
	RACK MOUNT KIT RM-KIT DMA	PART NUMBER EAN:	13360426 8024530017415